

ÜBERSICHTSZEICHNUNG
ASSEMBLY DRAWING

LAPIERRE





CROSSHILL CF 5.0 / 6.0 / 6.0 S / 6.0 AXS / 7.0 / 8.0 / 8.0 S (MY25)



CROSSHILL CF (MY25)
date: 14-03-2024
version: 01

HOW TO USE EXPLODED VIEW

BOM-ID	Description	Specification	Torque	QTY	Service Kit nr.
1	Counter sunk screw (Set)	IS2 - M3 x 8 mm	1 Nm	2	KHB00025  

“ You can click on the logo according to your part's supplier. It will take you to the purchase page. ”




A screenshot of a website's product page. The browser address bar shows 'KHB00025'. The navigation menu includes 'Commander', 'Info commandes', 'Service', 'Actu', 'Bidons personnalisés', 'Aide Accentry', and 'Offres'. The breadcrumb trail is 'Accueil / Rechercher / Vélos / Service Kits / JEU DE SUPPORTS ENTRÉE DE CÂBLES MOTEUR YAMAHA E-BIKE HAIBIKE ALLTRACK GAUCHE/DROITE NOIR'. The product image shows several black plastic cable inlet supports and five metal screws. The product title is 'JEU DE SUPPORTS ENTRÉE DE CÂBLES MOTEUR YAMAHA E-BIKE HAIBIKE ALLTRACK GAUCHE/DROITE NOIR 2023'. The description states 'TRK: ALLTRACK YAMAHA CABLE INLET SET' and 'Comprend: support d'entrée de câbles gauche et droite, vis.'. The price is listed as 'Prix public € 9,99'. At the bottom, there is a quantity selector set to '1' and a 'Commander' button.

ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING

headtube / fork

LAPIERRE



Hinweis: Bei den Schrauben muss mittelfeste Gewindesicherung verwendet werden. **Rote Flächen müssen gefettet werden.**

Note: use medium strength screw lock for screw threads. **Red surfaces have to be greased.**

* model-specific

Pos. 11: only
Crosshill CF 6.0 S / 8.0 S

Pos. 12: Headless screw pre-installed by the frame manufacturer (close the thread)!
Optional: Pos. 13 Lens head screw (accessories box)











CROSSHILL CF (MY25)
date: 14-03-2024
version: 01



ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING headtube / fork

LAPIERRE

BOM-ID	Item nr.	QTY	Description	Specification	Torque	Service kit nr.
1	10010761 (18-8000-00110)	1x	Headtube top cover			KLP00088 
2	10061948 (18-8000-00201)	1x	Compression ring			KLP00088 
3	10061961 (18-8000-00202)	1x	Upper headset sealing			KLP00088 
4	10072150 (18-8000-00206)	1x	Upper headset bearing			KLP00088 
5	10032018 (18-8000-00211)	1x	Lower headset sealing			KLP00088 
6	10061947 (18-8000-00207)	1x	Lower headset bearing			KLP00088 
7	10012936 (60-0142-05101)	6x	Lens head screw	HS3 - M5 x 10 mm	2 Nm	-
8*	10017804 (40-8000-00106)	1x	Front thru-axle (Crosshill CF 5.0 / 6.0 / 6.0 AXS / 7.0 / 8.0)	TA12 x 118 mm / M12 x P1.5 x 13 mm	10 Nm	KLP00104 
9*	10099812 (44-2100-00137)	1x	Fork hanger (Crosshill CF 5.0 / 6.0 / 6.0 AXS / 7.0 / 8.0)			KLP00105 
10*	10099813 (44-2100-00127)	1x	Hanger nut (Crosshill CF 5.0 / 6.0 / 6.0 AXS / 7.0 / 8.0)		10 Nm	KLP00105 
11*	10032085	1x	Crown-race (only Crosshill CF 6.0 S / 8.0 S)			KLP00088 
12	-----	2x	Headless screw (pre-installed)	M5 x 8 mm		-
13	(optional) 10012936 (60-0142-05101)	2x	Lens head screw (accessories box)	HS3 - M5 x 10 mm	2 Nm	-

* model-specific



CROSSHILL CF (MY25)


date: 14-03-2024

version: 01

ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING main frame

LAPIERRE



Hinweis: Bei den Schrauben muss mittelfeste Gewindesicherung verwendet werden. Rote Flächen müssen gefettet werden.

Note: use medium strength screw lock for screw threads. Red surfaces have to be greased.

* model-specific

Pos. 12: Headless screw pre-installed by the frame manufacturer (close the thread!)
Optional: Pos. 13 Lens head screw (accessories box)














CROSSHILL CF (MY25)
 date: 14-03-2024
 version: 01



ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING main frame

LAPIERRE

BOM-ID	Item nr.	QTY	Description	Specification	Torque	Service kit nr.
7	10012936 (60-0142-05101)	5x	Lens head screw	HS3 - M5 x 10 mm	2 Nm	-
12	-----	2x	Headless screw (pre-installed)	M5 x 8 mm		-
13	(optional) 10012936 (60-0142-05101)	2x	Lens head screw (accessories box)	HS3 - M5 x 10 mm	2 Nm	-
14	10012933 (60-0153-05160)	4x	Bottle hanger bolts			- 
15	10031834 (13-3000-00153)	1x	Seat post clamp	∅ 31,8 mm		- 
16	10031886 (40-8000-00020)	1x	Fender bridge			KLP00102 
17	10099810 (26-9900-00018)	1x	FD hanger			KLP00092 
18	10012931 (60-0161-05201)	2x	Countersunk head screw	HS3 - M5 x 20 mm	5,1 Nm	KLP00092 
19	10099814 (31-2000-00087)	1x	Battery holder			KLP00093 
20	10012413 (60-0152-05121)	1x	Countersunk head screw	HS3 - M5 x 12 mm	2 Nm	KLP00093 
21*	10017890	2x	Cable guide (for Shimano Di2 version) (Crosshill CF 7.0)			KLP00094 
22*	10017889 (31-2000-00088)	2x	Cable guide (for mechanical version) (Crosshill CF 5.0 / 6.0)			KLP00094 
23*	10017891 (31-2000-00180)	2x	Cable guide (for Sram AXS version) (Crosshill CF 6.0 S / 6.0 AXS / 8.0 / 8.0 S)			KLP00094 
24	10010774 (44-2100-00070)	1x	UDH derailleur hanger + nut	Don't grease the thread!	25 Nm	- 
25	10031833 (40-8000-00164)	1x	Rear thru-axle	TA12 x 167 mm / M12 x P1.0 x 15 mm	10 Nm	KLP00106 
26*	10013833 (34-4000-00850)	1x	Brake mount adapter (Crosshill CF 5.0 / 6.0 / 7.0)			- 



* model-specific

CROSSHILL CF (MY25)











date: 14-03-2024





version: 01

ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING Handlebars & stems

LAPIERRE

Description	Specification	Service kit nr.
LAPIERRE STEM ALLOY	31.8 Ø 120mm	KLP00132  
LAPIERRE STEM ALLOY	31.8 Ø 110mm	KLP00131  
LAPIERRE STEM ALLOY	31.8 Ø 100mm	KLP00130  
LAPIERRE STEM ALLOY	31.8 Ø 90mm	KLP00129  
LAPIERRE STEM ALLOY	31.8 Ø 80mm	KLP00140  

Description	Specification	Service kit nr.
LAPIERRE GRAVEL CARBON HANDELBAR 42cm	Rise:20mm Flare:12°	KLP00123  
LAPIERRE GRAVEL CARBON HANDELBAR 44cm	Rise:20mm Flare:12°	KLP00124  



CROSSHILL CF (MY25)

date: 14-03-2024

version: 01

ÜBERSICHTSZEICHNUNG

ASSEMBLY DRAWING

LAPIERRE

FACT SHEET:	
SHOCK LENGTH:	-----
SHOCK HARDWARE TOP:	-----
SHOCK HARDWARE BOTTOM:	-----
HEADSET TOP:	IS 52
HEADSET BOTTOM:	IS 52
SEATPOST DIAMETER:	27,2 MM
CLAMP INNER DIAMETER:	31,8 MM
BOTTOM BRACKET:	Crosshill CF 5.0 / 6.0 / 7.0: Shimano BB72-41B - Press Fit Crosshill CF 6.0 S / 6.0 AXS / 8.0 / 8.0 S: SRAM DUB PF 86.5 Road
KICKSTAND:	-----
ISCG STANDARD:	-----
CARRIER MOUNT:	YES
FENDER COMPATIBLE:	YES

DROPPER SEATPOST READY:	YES
WATERBOTTLE MOUNT:	1x Downtube / 1x Seattube
MAXIMUM PERMISSIBLE TOTAL WEIGHT:	110 KG (Cat. 2)
MAXIMUM TIRE SIZE:	45c
WHEEL SIZE:	28" (700x44c)
QUICK RELEASE LENGTH:	TA12x167 mm / M12xP1.0xL15 mm
OVER-LOCKNUT DIMENSION (O.L.D.):	142 MM
FD CLAMP SIZE:	-----
FD TYPE:	-----
ENGINE:	-----
BATTERY:	-----
DISPLAY:	-----



CROSSHILL CF (MY25)
date: 14-03-2024
version: 01